Mercedes-Benz Axor 2528 R/5700 M-Cab (6X4)



WHEEL & TYRE

Drive configuration	6X4
Wheel size	7,50 x 20
Front tyre size & type	11.00 - 20, tube-type, rib pattern
Rear tyre size & type	11.00 - 20, tube-type, lug pattern

ENGINE

	OM 906 LA, 6 cylinder inline
Emission	Euro 4
Engine displacement	6,373 cc
Max. power	285 PS / 2,200 rpm
Max. torque	1,120 Nm / 1,200-1,600 rpm

TRANSMISSION

Туре	G 131, Manual (M/T)
Number of gears	9 Speed Forward + 1 Speed Reverse
Gear ratio	14.573-1.000

PERFORMANCE

Max. speed	90 km/n
Gradeability	57% (Crawler) @ 26.5 T GVW

ELECTRICAL SYSTEM

Battery 2 X 12V, 120 Ah

CLUTCH

Туре	Dry, Single Plate, Hydraulic Actuated
	Control with Servo Assistance
Diameter	395 mm

FUEL TANK CAPACITY

Main fuel tank capacity 380 ℓ

ADBLUE TANK CAPACITY

AdBlue tank capacity

FRONT AXLE

Max. capacity 7,500 kg

REAR AXLE

Max. capacity	2 x 13,000 kg
Final gear ratio	4.778
Differential lock	Inter-Wheel & Inter-Axle

SUSPENSION

Front	Parabolic, with Shock Absorber & Stabilizer
Rear	Semi-Elliptic Tandem Bogie with
	Shock Absorber & Stabilizer

BRAKE

Main brake	Full Air, Dual Circuit, S-Cam, ABS
Auxiliary brake	Engine Brake & Exhaust Brake

WEIGHT

Kerb weight	8,475 kg	
Technical - GVW ^[2]	33,500 kg	
JBB / GVW ^[3]	26,500 kg	

OTHER FEATURES


MP3 Player, Clutch Wear Indicator, Bumper Spoiler, LED Rear Combination lamp, Windshield Sunvisor

DIMENSION

Front overhang (FOH)	1,500 mm
Wheelbase (WB)	5,700 mm
Distance between	1,350 mm
rear axles (TS)	
Rear overhang (ROH)	3,450 mm
Total length (TL)	12,000 mm
Total width (TW)	2,490 mm
Total height (TH)	3,100 mm
Ground clearance (GC)	300 mm
Turning circle radius	11,975 mm

TECHNICAL DRAWING







TRUCK WARRANTIES







[4] Terms and conditions apply

Specifications and colors shown may differ from the actual product in Indonesia market. Please note that changes to the products may have been made since this brochure went to press on (09.25). For further information please contact your Authorized Mercedes-Benz Commercial Vehicles Dealers.



and Mercedes-Benz are trademarks of Mercedes-Benz Group AG.

[2] GVW depends on road conditions and type of operation. For more information, please contact your nearest dealer. [3] Total weight is based on roadworthiness regulations.